

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	23	715/734-739.ccls. and (rout\$ with (algorithm or formula or analysis))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 01:23
L8	37581	(370/254-255,351-430.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 01:30
L10	2288	8 and interface with (represent or representation or representing ot represented or visualize or visualized or visualization or visualizing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 01:31
L11	15	8 and interface with (represent or representation or representing ot represented or visualize or visualized or visualization or visualizing or display or displaying or displayed) same ((node or link) with (weight or load))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 01:34
L12	15	11 not 4 not 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 01:40
L13	372	8 and interface with (represent or representation or representing ot represented or visualize or visualized or visualization or visualizing or display or displaying or displayed) and ((node or link) with (weight or load))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 01:34

## EAST Search History

L14	65	8 and interface with (represent or representation or representing ot represented or visualize or visualized or visualization or visualizing or display or displaying or displayed) and ((node or link) with (weight or load) with (resource or bandwidth or quality or noise))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 01:35
L15	33	8 and interface with (represent or representation or representing ot represented or visualize or visualized or visualization or visualizing or display or displaying or displayed) and ((node or link) with (weight or load) with (resource or bandwidth or quality or noise)) and (path or flow or progression) with (determine or determined or determining or determination or analys\$ or interpret or interpreted or interpreting or interpretation or derive or derivation or derived or deriving or produce or producing or produced)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 01:44
L16	28	15 not 11 not 4 not 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 01:45
L17	127	network and interface with (represent or representation or representing ot represented or visualize or visualized or visualization or visualizing or display or displaying or displayed) and ((node or link) with (weight or load) with (resource or bandwidth or quality or noise)) and (path or flow or progression) with (determine or determined or determining or determination or analys\$ or interpret or interpreted or interpreting or interpretation or derive or derivation or derived or deriving or produce or producing or produced)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 02:04

## EAST Search History

L18	66	network same interface with (represent or representation or representing ot represented or visualize or visualized or visualization or visualizing or display or displaying or displayed) and ((node or link) with (weight or load) with (resource or bandwidth or quality or noise)) and (path or flow or progression) with (determine or determined or determining or determination or analys\$ or interpret or interpreted or interpreting or interpretation or derive or derivation or derived or deriving or produce or producing or produced)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 01:52
L19	45	18 not 15 not 11 not 4 not 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 02:06
L20	35	19 and (combined or combine or combining or combination or total or complete or full or all or every or each) with (node or link)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 01:47
L21	0	19 and (combined or combine or combining or combination or total or complete or full or all or every or each) with (node or link) and uodat\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 01:47
L22	31	19 and (combined or combine or combining or combination or total or complete or full or all or every or each) with (node or link) and updat\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 01:47
L23	31	20 and (combined or combine or combining or combination or total or complete or full or all or every or each) with (node or link) and (refresh or refreshing or refreshed or edit or edited or editing or updat\$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 01:49

## EAST Search History

L24	21	20 and (combined or combine or combining or combination or total or complete or full or all or every or each) with (node or link) and (refresh or refreshing or refreshed or edit or edited or editing or updat\$) with (resource or information or configur\$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 02:02
L25	15	network same interface with (represent or representation or representing ot represented or visualize or visualized or visualization or visualizing or display or displaying or displayed) and ((node or link) with (weight) with (resource or bandwidth or quality or noise)) and (path or flow or progression) with (determine or determined or determining or determination or analys\$ or interpret or interpreted or interpreting or interpretation or derive or derivation or derived or deriving or produce or producing or produced)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 01:52
L26	21	network and interface with (represent or representation or representing ot represented or visualize or visualized or visualization or visualizing or display or displaying or displayed) and ((node or link) with (weight) with (resource or bandwidth or quality or noise)) and (path or flow or progression) with (determine or determined or determining or determination or analys\$ or interpret or interpreted or interpreting or interpretation or derive or derivation or derived or deriving or produce or producing or produced)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 01:54
L27	6	26 not 25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 01:54

## EAST Search History

L28	17	network and interface with (represent or representation or representing ot represented or visualize or visualized or visualization or visualizing or display or displaying or displayed) and ((node or link) with (weight) with (resource or bandwidth or quality or noise)) and (path or flow or progression or endpoint or ((start or starting) near3 point)) with (connect or connection or connected or connecting or joined or joined or joining)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 01:59
L29	106	network and interface and ((node or link) with (weight) with (resource or bandwidth or quality or noise)) and (path or flow or progression or endpoint or ((start or starting) near3 point)) with (connect or connection or connected or connecting or joined or joined or joining)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 01:59
L30	13	network and interface same ((node or link) with (weight) with (resource or bandwidth or quality or noise)) and (path or flow or progression or endpoint or ((start or starting) near3 point)) with (connect or connection or connected or connecting or joined or joined or joining)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 02:00
L31	64	network and interface with (virtual) and ((node or link) with (weight or load) with (resource or bandwidth or quality or noise)) and (path or flow or progression) with (determine or determined or determining or determination or analys\$ or interpret or interpreted or interpreting or interpretation or derive or derivation or derived or deriving or produce or producing or produced)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 02:01
L32	31	31 and (combined or combine or combining or combination or total or complete or full or all or every or each) with (node or link) and (refresh or refreshing or refreshed or edit or edited or editing or updat\$) with (resource or information or configur\$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 02:03

## EAST Search History

L33	39	network and interface with (virtual or represent or representation or representing ot represented or visualize or visualized or visualization or visualizing or display or displaying or displayed) and ((node or link) with (weight) with (resource or bandwidth or quality or noise)) and (path or flow or progression or route) with (determine or determined or determining or determination or analys\$ or interpret or interpreted or interpreting or interpretation or derive or derivation or derived or deriving or produce or producing or produced or routing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 02:05
L34	40	33 not18 not 15 not 11 not 4 not 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 02:06
L35	22	33 not 18 not 15 not 11 not 4 not 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 02:07
L39	12	715/734-739.ccls. and 370/254-255, 351-430.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 02:12

[Sign in](#)Web Images Video<sup>New!</sup> News Maps more »

network interface weight node link routing path

Search

[Advanced Search](#)  
[Preferences](#)**Web** Results 1 - 10 of about 431,000 for **network interface weight node link routing path resource**. (0.32 se**Cisco - Private Network-to-Network Interface (PNNI) Route Selection**

"When selecting a **route** to a destination ATM address, a **node** shall always ... In the example above, there are not enough **resources** along the PNNI **path**, ...

[www.cisco.com/warp/public/121/PNNI-route-selection\\_19131.html](http://www.cisco.com/warp/public/121/PNNI-route-selection_19131.html) - 46k -

[Cached](#) - [Similar pages](#)

**Private Network-to-Network Interface (PNNI) Route Selection ...**

More precisely, the first **node** of each peer group selects the **path** across that ... Based On Admin **Weight** 00:42:34: PNNI: Found A Suitable **Route** Based On AW, ...

[www.cisco.com/en/US/tech/tk39/tk498/technologies\\_tech\\_note09186a0080094b2b.shtml](http://www.cisco.com/en/US/tech/tk39/tk498/technologies_tech_note09186a0080094b2b.shtml) -

44k - [Cached](#) - [Similar pages](#)

[ More results from [www.cisco.com](http://www.cisco.com) ]

**ACM SIGCOMM 2003 - papers**

**Network Routing with Path Vector Protocols: Theory and Applications ...** with limited expectations of end-to-end connectivity and **node resources**. ...

[www.sigcomm.org/sigcomm2003/papers.html](http://www.sigcomm.org/sigcomm2003/papers.html) - 94k - [Cached](#) - [Similar pages](#)

**[PDF] Dynamic Topology Control and Routing in Wireless Ad Hoc Networks**

File Format: PDF/Adobe Acrobat

Since the shortest **path routing** policy of MHA. tends to cause the bottleneck in some **links** (or nodes), the **network resources** of some nodes are consumed up ...

[ietisy.oxfordjournals.org/cgi/reprint/E89-D/5/1672.pdf](http://ietisy.oxfordjournals.org/cgi/reprint/E89-D/5/1672.pdf) - [Similar pages](#)

**[PDF] Minimum Interference Algorithm for Integrated Topology Control and ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

known to all nodes in the **network**—eg, via an extended **link**. state **routing** protocol. The **routing path** of a request is com- puted at its source **node**. ...

[www.ee.umd.edu/~shayman/papers.d/icc2004interference.pdf](http://www.ee.umd.edu/~shayman/papers.d/icc2004interference.pdf) - [Similar pages](#)

**Multi-Agent Systems for Efficient Quality of Service Routing in Grids**

**Link** agents will be the producers of the **resources** in this economy. They will wish to maximize the income they get by selling **network resources** to **path** ...

[www.ercim.org/publication/Ercim\\_News/enw59/manderick.html](http://www.ercim.org/publication/Ercim_News/enw59/manderick.html) - 16k -

[Cached](#) - [Similar pages](#)

**[PDF] Sago: a network resource management system for real-time content ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

the **network interface**. Control packets such as **routing** protocol or net- ... find a backup **path** for P, where the **weight** of each **link** on the backup ...

[www.cs.fsu.edu/~kartik/publications/chiueh02sago.pdf](http://www.cs.fsu.edu/~kartik/publications/chiueh02sago.pdf) - [Similar pages](#)

**CCAMP Working Group Wesam Alanqar (Sprint) Internet Draft Deborah ...**

**Link Weight**: The metric indicating the relative desirability of a particular **link** over another eg during **path** computation. - **Resource Class**: This ...

[www3.ietf.org/proceedings/04mar/I-D/draft-ietf-ccamp-gmpls-ason-routing-reqts-02.txt](http://www3.ietf.org/proceedings/04mar/I-D/draft-ietf-ccamp-gmpls-ason-routing-reqts-02.txt) -



42k - [Cached](#) - [Similar pages](#)

**RFC 4258 - Requirements for Generalized Multi-Protocol Label ...**

[G.7715.1] defines the ASON hierarchical **link** state **routing** protocol requirements for ...  
G.707/Y.1322, "**Network Node Interface** for the Synchronous Digital ...  
[www.rfc-archive.org/getrfc.php?rfc=4258](http://www.rfc-archive.org/getrfc.php?rfc=4258) - 73k - [Cached](#) - [Similar pages](#)

**CCAMP Working Group Wesam Alanqar (Sprint) Internet Draft Deborah ...**  
The **routing** adjacency topology and transport **network** topology SHALL NOT be ... Type  
REQUIRED OPTIONAL **Link Weight** REQUIRED OPTIONAL **Resource Class**  
REQUIRED ...  
[ietfreport.isoc.org/all-ids/draft-ietf-ccamp-gmpls-ason-routing-reqts-01.txt](http://ietfreport.isoc.org/all-ids/draft-ietf-ccamp-gmpls-ason-routing-reqts-01.txt) - 35k -  
[Cached](#) - [Similar pages](#)

**Google Groups results for network interface weight node link routing path resource**

 [v32i085: acronyms - Acronym Database with lookup script ...](#) - comp.sources.misc - Sep 20, 1992  
 [comp.os.vxworks Frequently Asked Questions \(FAQ\)](#) - comp.os.vxworks - Dec 20, 1993

Goooooooooooooogle ►

Result Page:    1 2 3 4 5 6 7 8 9 10    **Next**

network interface weight node link routing path resource

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google



[Sign in](#)[Web](#) [Images](#) [Video](#)<sup>New!</sup> [News](#) [Maps](#) [more »](#)

network interface weight node link routing path

Search

[Advanced Search](#)  
[Preferences](#)**Web** Results 11 - 20 of about 431,000 for **network interface weight node link routing path resource**. (0.16 s)**[Paper] QoS Aware Topology Control and Routing in Wireless Ad Hoc ...**A **path** in MAB is computed to minimize the **link weight** among paths satisfying QoS constraints ... The **interface** constraint for **node** C is as- sumed to be two. ...www.actapress.com/PDFViewer.aspx?paperId=22303 - [Similar pages](#)**[PPT] WorldNet Data Warehouse Albert Greenberg albert@research.att.com ...**File Format: Microsoft Powerpoint - [View as HTML](#)Core and Edge **Links**. Core **link**. OSPF **weight** per **interface**; OSPF area ... Accurate, timely, **network**-wide view of topology, **routing**, and traffic data ...cnrc.columbia.edu/rexford.ppt - [Similar pages](#)**[PDF] A Lightweight, Link-layer, Source-based Routing Protocol for LEO ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)allowing **network resources** to be allocated and guaranteed to real-time IP flows. ...shortest-**path** to the packet's destination. A source-**route** is formatted ...www.kitchenlab.org/www/bmah/Papers/Nanosat.pdf - [Similar pages](#)**CCAMP Working Group Wesam Alanqar (Sprint) Internet Draft Deborah ...**Expires November 2004 10 draft-ietf-ccamp-gmpls-ason-**routing**-reqts-04.txt May 2004**Link Weight** REQUIRED OPTIONAL **Resource** Class REQUIRED OPTIONAL Local ...www3.ietf.org/proceedings/04aug/I-D/draft-ietf-ccamp-gmpls-ason-**routing**-reqts-04.txt - 47k- [Cached](#) - [Similar pages](#)**[PDF] Resource Virtualization Techniques for Wide-Area Overlay Networks**File Format: PDF/Adobe Acrobat - [View as HTML](#)**node** and **link resources** on the baseline **network**, and a local packet processing ... the **weight** of each **link** on the backup **path** is the increase in the **link's** ...www.ecsl.cs.sunysb.edu/tr/TR112.pdf - [Similar pages](#)**Constructive Internet QoS Glossary**Private **Network Network Interface** - signaling and QoS **routing** from the ... **link** or a **node** has sufficient **resources** to satisfy the QoS required for a flow. ...www.cl.cam.ac.uk/~jac22/qos.html - 23k - [Cached](#) - [Similar pages](#)**IBM Software - Network Design and Analysis/2 - Version 1 Release 5 ...**The least-**weight path** report can be generated assuming either no failures or the failure of a single **node** or transmission group. Subarea **Route** Control ...www-306.ibm.com/software/**network**/netda/features/new\_v1r5.html - 19k -[Cached](#) - [Similar pages](#)**Link state routing techniques - Patent 7047316**A **link state routing** device of a **node** in a **network** comprising a ... The **link state routing** device according to claim 1, wherein the **path** selector comprises: ...www.freepatentsonline.com/7047316.html - 94k - [Cached](#) - [Similar pages](#)**ROUTING-IN-OPTICAL-NETWORKS**In **link state routing** protocols, such as the Open Shortest **Path** First (OSPF) protocol, ...Private **Network-Network Interface** Specification, Version 1.0. ...

www.cmf.nrl.navy.mil/ccs/project/public/DC/web/projects/tron/pdcs2000/html/index.html -


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((network interface routing)&lt;in&gt;metadata)"

Your search matched 3 of 1397873 documents.

☒ e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

## » Search Options

[View Session History](#)
[New Search](#)

## Modify Search


☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

 [Select All](#) [Deselect All](#)

- ☐ 1. **Performance evaluation of topology aggregation in PNNI network**  
 Kyung Taek Chung; Byun Gon Kim; Kwan Woong Kim; Hyun Soon Shin; Byoung  
[Electrical and Electronic Technology, 2001. TENCON. Proceedings of IEEE R](#)  
[International Conference on](#)  
 Volume 1, 19-22 Aug. 2001 Page(s):261 - 264 vol.1  
 Digital Object Identifier 10.1109/TENCON.2001.949592  
[AbstractPlus](#) | Full Text: [PDF](#)(320 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ 2. **Mobility based dynamic multicast protocol in wireless ATM network**  
 Gyung-Ho Hwang; Dong-Ho Cho;  
[Vehicular Technology Conference, 1999. VTC 1999 - Fall. IEEE VTS 50th](#)  
 Volume 4, 19-22 Sept. 1999 Page(s):2009 - 2013 vol.4  
 Digital Object Identifier 10.1109/VETECF.1999.797289  
[AbstractPlus](#) | Full Text: [PDF](#)(432 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ 3. **Performance analysis of PNNI routing in ATM networks: hierarchical red**  
**approximation**  
 Hui Xie; Baras, J.S.;  
[MILCOM 97 Proceedings](#)  
 Volume 2, 2-5 Nov. 1997 Page(s):998 - 1002 vol.2  
 Digital Object Identifier 10.1109/MILCOM.1997.646767  
[AbstractPlus](#) | Full Text: [PDF](#)(440 KB) IEEE CNF  
[Rights and Permissions](#)

 Indexed by  
[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2006 IEEE -

# PG Pub Interference Search

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L36	0	(interface and network same (visualiz\$ or virtual or represen\$) and ((link or node) with weight) and (routing or connecting) with (algorithm or formula or calculation) and (endpoint or ((start or starting) near2 point))).clm.	US-PGPUB	OR	ON	2006/09/05 02:11
L37	0	(interface and network and ((link or node) with weight) and (routing or connecting) with (algorithm or formula or calculation) and (endpoint or ((start or starting) near2 point))).clm.	US-PGPUB	OR	ON	2006/09/05 02:11
L38	0	(interface and network and ((link or node) with weight) and (routing or connecting) with (algorithm or formula or calculation)).clm.	US-PGPUB	OR	ON	2006/09/05 02:11